


**IMPORTANT NOTE**  
 ALTHOUGH THE UF OPERATOR BOX HAS AN IP64 RATING IT IS ESSENTIAL THAT THE AREA INTO WHICH IT IS BEING FITTED IS TO REMAIN FREE FROM EXCESSIVE WATER EXPOSURE  
 A DRAINAGE FACILITY IS ALSO REQUIRED BY OTHERS TO SUIT SITE CONDITIONS AND OPERATOR LOCATION TO PREVENT WATER ACCUMULATION  
 FAILURE TO OBSERVE THESE PRECAUTIONS MAY RESULT IN CORROSION OF THE ELECTRICAL COMPONENTS IN THE UF HOUSING FOR WHICH GEZE WILL NOT ACCEPT RESPONSIBILITY



**PROJECT SPECIFIC DETAILS**

PROJECT :	
FINISH :	
GLASS :	
LOCKING :	
CONTROLS :	
ACTIVATION :	
SAFETY :	

Revision	Drawn	Date	Reason for Change
C	GH	06-01-11	DRAINAGE NOTES ADDED
B	GH	9/9/10	DOOR WIDTHS CLARIFIED
A	GH	11/5/10	UFO BOX FLOOR FIXING ANGLES REVISED

Drawing No.	UFO-01
This	UFO OPERATOR - Pair
Inward Opening	With All Glass 'AP' doors & aluminium goal-post frame
Drawn	GH
Appd	
Scale	NTS
Date	AUG 08



GEZE UK Ltd  
 Blenheim Way  
 Fradley Park  
 Litchfield  
 Staffordshire  
 WS13 8SY  
 www.geze.com  
 TEL 01543 443000  
 FAX 01543 443001

The details shown in this manual are of general construction of the product. No liability is accepted for any variation in the details of the product. The user must refer to the specification of the product. The user must refer to the specification of the product. The user must refer to the specification of the product.