



IMPORTANT NOTE
ALTHOUGH THE UF OPERATOR BOX HAS AN IP64 RATING IT IS ESSENTIAL THAT THE AREA INTO WHICH IT IS BEING FITTED IS TO REMAIN FREE FROM EXCESSIVE WATER EXPOSURE
A DRAINAGE FACILITY IS ALSO REQUIRED BY OTHERS TO SUIT SITE CONDITIONS AND OPERATOR LOCATION TO PREVENT WATER ACCUMULATION
FAILURE TO OBSERVE THESE PRECAUTIONS MAY RESULT IN CORROSION OF THE ELECTRICAL COMPONENTS IN THE UF HOUSING FOR WHICH GEZE WILL NOT ACCEPT RESPONSIBILITY


- BARRIERS MAY BE REQUIRED**
- a) TO SAFEGUARD AGAINST PEDESTRIAN TRAFFIC APPROACHING FROM THE SIDE INTO THE SWEEP AREA (OPENING AND CLOSING) OF THE SWING DOOR.
 - b) TO DIRECT PEDESTRIAN TRAFFIC TOWARDS THE DOORWAY OPENING
- PLEASE NOTE BARRIERS SHOULD BE POSITIONED IN SUCH A WAY THAT THEY DO NOT CAUSE AN OBSTRUCTION, OR INHIBIT MEANS OF ESCAPE OR REDUCE THE CLEAR OPENING.



PROJECT SPECIFIC DETAILS

PROJECT :	
FINISH :	
GLASS :	
LOCKING :	
CONTROLS :	
ACTIVATION :	
SAFETY :	

Revision	Drawn	Date	Reason for Change
C	GH	06-01-11	DRAINAGE NOTES ADDED
B	GH	9/9/10	DOOR WIDTHS CLARIFIED
A	GH	11/5/10	UFO BOX FLOOR FIXING ANGLES REVISED



Drawing No. UFO-02
 This UFO OPERATOR - Pair Inward Opening with All Glass 'AP' doors into 10/12mm glass fascade by others

GEZE UK Ltd
 Blenheim Way
 Fradley Park
 Litchfield
 Staffordshire. WS13 8SY
 TEL 01543 443000
 FAX 01543 443001
 www.geze.com

Drawn GH Appd NTS Scale AUG 08 Date

The details shown in this drawing are of product developed by the manufacturer. No liability is accepted for any errors or omissions. The user is responsible for the interpretation of the drawing. The user must ensure that the product is used in accordance with the instructions provided by the manufacturer. The user must ensure that the product is used in accordance with the instructions provided by the manufacturer. The user must ensure that the product is used in accordance with the instructions provided by the manufacturer.