



IMPORTANT NOTE
ALTHOUGH THE USE OF OPERATOR BOX HAS AN IP64 RATING IT IS ESSENTIAL THAT THE AREA INTO WHICH IT IS BEING FITTED IS TO REMAIN FREE FROM EXCESSIVE WATER EXPOSURE
A DRAINAGE FACILITY IS ALSO REQUIRED BY OTHERS TO SUIT SITE CONDITIONS AND OPERATOR LOCATION TO PREVENT WATER ACCUMULATION
FAILURE TO OBSERVE THESE PRECAUTIONS MAY RESULT IN CORROSION OF THE ELECTRICAL COMPONENTS IN THE UF HOUSING FOR WHICH GEZE WILL NOT ACCEPT RESPONSIBILITY

BARRIERS MAY BE REQUIRED

a) TO SAFEGUARD AGAINST PEDESTRIAN TRAFFIC APPROACHING FROM THE SIDE INTO THE SWEEP AREA (OPENING AND CLOSING) OF THE SWING DOOR.

b) TO DIRECT PEDESTRIAN TRAFFIC TOWARDS THE DOORWAY OPENING

PLEASE NOTE BARRIERS SHOULD BE POSITIONED IN SUCH A WAY THAT THEY DO NOT CAUSE AN OBSTRUCTION, OR INHIBIT MEANS OF ESCAPE OR REDUCE THE CLEAR OPENING.

PROJECT SPECIFIC DETAILS

PROJECT :	
FINISH :	
GLASS :	
LOCKING :	
CONTROLS :	
ACTIVATION :	
SAFETY :	

Revision	Drawn	Date	Reason for Change
A	GH	06-01-11	DRAINAGE NOTES ADDED

Drawing No. UFO-03

This UFO OPERATOR - Pair Inward Opening with Aluminium 'shopfront' doors & Aluminium goal-post frame



GEZE UK Ltd
Blenheim Way
Fradley Park
Litchfield
Staffordshire
WS13 8SY
www.geze.com
TEL 01543 443000
FAX 01543 443001

The details shown in this manual are of general construction of the product. No liability is accepted for any errors or omissions. The manufacturer reserves the right to change the product without notice. The drawings are not to be used for any other purpose without the express consent of GEZE.