



Airport Madrid-Barajas

GEZE Powerdrive and variations

Automatic sliding door systems



BEWEGUNG MIT SYSTEM

The Powerhouse.

Convenience and safety even for heavy doors are the trademarks of the Powerdrive line.


Large entrances and opening widths together with high leaves make specific demands on door drive technology, and this is precisely where the strong points of the Powerdrive are.

The economical yet high-capacity Powerdrive can move „out of the ordinary“ door leaves up to 200* kg in weight. The Powerdrive offers the appropriate drive for large-size openings, specific door leaf structures and difficult special fillings in standard and escape route designs.

DIN 18650 – Standard fulfilled

A uniform standard was created with DIN 18650 to guarantee optimal safety to the operators and users of automatic doors. Naturally the GEZE Powerdrive sliding door systems were type-tested and certified in accordance with DIN 18650.

* up to 160 kg for escape route design



1 Transformer

Low noise development and powerful 200 W.

2 Locking system

The bistable electromechanical locking system with mechanical emergency unlocking is continuously monitored by the control and is thus protected from misuse.

3 Roller carriage

Optimal sliding characteristics and minor wear due to the coordinated profiles of the roller and track. Integrated brushes which permanently clean the rollers (self-cleaning roller carriage) ensure high service life and reduced noise development.

4 Control

The self-learning 16-bit microprocessor control adapts the operating parameters to the environmental conditions and uses CAN bus to communicate with other GEZE products. Always up-to-date because of the easy software update possibilities, and well-equipped in control engineering even for future developments.

5 Battery


In case of emergencies, the light and compact NiMH battery enables the door to be temporarily opened or closed even without an external power supply.

6 Motor

Powerful motor with 400 Ncm and encapsulated gear, low-noise.



Hotel Kempinski, Antalya



Actuation

- ▶ Radar motion detector
GC 302 R and GC 302 SV
- ▶ Radar multi-sensor detector with light curtain Activ R und S, Jupiter R and SV

Safety during closing

- ▶ Active infrared light curtain
Activ R and S, Jupiter R and SV
- ▶ Safety light barrier
GZ 472 V or GZ 470 V

Safety during opening

- ▶ Active infrared light curtain
Iris S or Presence S
- ▶ Active AIR 30 infrared sensor

With respect to all other standard specifications, these sensors can also be utilised for escape and rescue routes.

Extensive range of use

Powerdrive sliding door systems are suitable for:

- ▶ single- and double-leaf doors,
- ▶ with thin-framed leaves, of ESG (single thickness safety glass) and ISO glass (up to 120 kg),
- ▶ and with frame panels of metal, plastic or timber up to 200* kg
- ▶ inside and outside doors.

Safety

The Powerdrive is optimally equipped for use in escape and rescue routes as well. Whether as FR variation with redundant 2-motor technology that will not let the user down even in case of emergencies, or as break-out solution: the Powerdrive always offers the highest degree of safety.

* up to 160 kg for escape route design

Variation variety

To meet the most diverse requirements, the Powerdrive is available in a multitude of variations:

- ▶ **Powerdrive PL**
The high-capacity sliding door system for large and heavy doors
- ▶ **Powerdrive FR**
For escape and rescue routes
- ▶ **Powerdrive FR-RWS** (approved by TÜV)
Constantly self-supervised system which immediately goes into a safe condition as soon as an error is registered somewhere
- ▶ **Powerdrive FR-LL**
Closing time (one way) in escape route locked single fault secure and constantly self-supervised system which immediately goes into a safe condition as soon as an error is registered somewhere
- ▶ **Powerdrive FR-DUO**
Two escape route directions
- ▶ **Powerdrive BO**
In an emergency, the door leaves and side elements can swing out in the direction of the escape route (break-out) to clear the maximum escape route width
- ▶ **Powerdrive HT**
Hermetic sliding door system for use in clean rooms

	Powerdrive PL	Powerdrive FR, FR-RWS, FR-LL, FR-DUO	Powerdrive BO	Powerdrive HT
Drive dimensions (height x width)	150/200 x 185 mm	150/200 x 185 mm	150/200 x 185 mm	300 x 185 mm
Opening width	700 - 3000 mm (Single-leaf) 800 - 3000 mm (Double-leaf)	700 - 3000 mm (Single-leaf) 800 - 3000 mm (Double-leaf)	900 - 1400 mm (Single-leaf) 1000 - 2400 mm (Double-leaf)	700 - 1400 mm (Single-leaf)
Max. passage height	3000 mm	3000 mm	2500 mm	2200 mm
Max. weight per door leaf	200 kg (Single-leaf) 180 or 200* kg (Double-leaf)	160 kg (Single- and double-leaf)	100 kg (Single- and double-leaf)	100 kg (Single-leaf)
Max. opening speed	0,7 m/s (depending on leaf weight)	0,7 m/s (depending on leaf weight)	0,6 m/s	0,5 m/s
Max. closing speed	0,5 m/s	0,5 m/s	0,4 m/s	0,5 m/s

* Possibly increased opening and hold-open times

**GEZE GmbH**

P.O. Box 1363
71226 Leonberg
Germany

GEZE GmbH
 Reinhold-Vöster-Straße 21-29
 71229 Leonberg
 Germany
 Telefon +49 (0) 7152-203-0
 Telefax +49 (0) 7152-203-310

www.geze.com

Germany

GEZE GmbH
 Niederlassung Nord/Ost
 Bühringstraße 8
 13086 Berlin (Weissensee)
 Tel. +49 (0) 30-47 89 90-0
 Fax +49 (0) 30-47 89 90-17
 E-mail: berlin.de@geze.com

GEZE GmbH

Niederlassung West
 Nordsternstraße 65
 45329 Essen
 Tel. +49 (0) 201-83082-0
 Fax +49 (0) 201-83082-20
 E-mail: essen.de@geze.com

GEZE GmbH

Niederlassung Mitte
 Adenauerallee 2
 61440 Oberursel (b. Frankfurt)
 Tel. +49 (0) 6171-63610-0
 Fax +49 (0) 6171-63610-1
 E-mail: frankfurt.de@geze.com

GEZE GmbH

Niederlassung Süd
 Reinhold-Vöster-Straße 21-29
 71229 Leonberg
 Tel. +49 (0) 7152-203-594
 Fax +49 (0) 7152-203-438
 E-mail: leonberg.de@geze.com

GEZE Sonderkonstruktionen

GmbH
 Planken 1
 97944 Boxberg-Schweigern
 Tel. +49 (0) 7930-9294-0
 Fax +49 (0) 7930-9294-10
 E-mail: sk.de@geze.com

GEZE Service GmbH

Reinhold-Vöster-Straße 25
 71229 Leonberg
 Tel. +49 (0) 7152-9233-0
 Fax +49 (0) 7152-9233-60
 E-mail: info@geze-service.com

Germany

GEZE Service GmbH
 Niederlassung Berlin
 Bühringstraße 8
 13086 Berlin (Weissensee)
 Tel. +49 (0) 30-470217-30
 Fax +49 (0) 30-470217-33

Austria

GEZE Austria GmbH
 Mayrwiesstraße 12
 5300 Hallwang b. Salzburg
 Tel. +43 (0)662-663142
 Fax +43 (0)662-663142-15
 E-mail: austria.at@geze.com

Asia Pacific

GEZE Asia Sales Ltd.
 No. 88-1-408, East Road
 Free Trade Zone of Tianjin Port
 Tianjin, P.R. China
 Tel. +86 (0)22-26 97 39 95-0
 Fax +86 (0)22 26 97 27 02
 E-mail: Asiasales-info@geze.com.cn

Baltic States

GEZE Baltic States
 Dzelzavas iela 120 S
 1021 Riga
 Tel. +371 (0)67 896 035
 Fax +371 (0)67 896 036
 E-mail: office-latvia@geze.com

Benelux

GEZE Benelux B.V.
 Leemkuil 1
 Industrierrein Kapelbeemd
 5626 EA Eindhoven
 Tel. +31 (0)40-26290-80
 Fax +31 (0)40-26290-85
 E-mail: benelux.nl@geze.com

China

GEZE Industries (Tianjin) Co., Ltd.
 Shuangchenzhong Road
 Beichen Economic Development
 Area (BEDA)
 Tianjin 300400, P.R. China
 Tel. +86 (0)22-26973995-0
 Fax +86 (0)22-26972702
 E-mail: Sales-info@geze.com.cn

GEZE Industries (Tianjin) Co., Ltd.
 Branch Office Shanghai
 R. 3010, Tower 2, Grand Gateway
 No. 3 Hongqiao Road
 XuHui District
 200030 Shanghai, P.R. China
 Tel. +86 (0)21-644 75 908
 Fax +86 (0)21-644 72 007
 E-mail: gezesh@geze.com.cn

China

GEZE Industries (Tianjin) Co., Ltd.
 Branch Office Guangzhou
 Room 17C3
 Everbright Bank Building, No. 689
 Tian He Bei Road
 510630 Guangzhou, P.R. China
 Tel. +86 (0)20-38 73 18 42
 Fax +86 (0)20-38 73 18 34
 E-mail: gezegz@geze.com.cn

GEZE Industries (Tianjin) Co., Ltd.
 Branch Office Beijing
 No. 6-32 Building
 Jili Avenue
 Daxing District
 100076 Beijing, P.R. China
 Tel. +86-(0)10-87 97 51-77/-78
 Fax +86-(0)10-87 97 51-71
 E-mail: gezebj@geze.com.cn

GEZE Sonderkonstruktionen
 (Tianjin), Ltd.
 No. 6-32 Building
 Jili Avenue
 Daxing District
 100076 Beijing, P.R. China
 Tel. +86-(0)10-87 96 51-52
 Fax +86-(0)10-87 97 14-76
 E-mail: SalesSK-info@geze.com.cn

France

GEZE France S.A.R.L.
 ZAC de l'Orme Rond
 RN 19
 77170 Servon
 Tel. +33 (0)1-60626070
 Fax +33 (0)1-60626071
 E-mail: france.fr@geze.com

Hungary

GEZE Hungary
 Bartók Béla út 105 – 113
 1115 Budapest
 Tel. + 36 (0)1 481 4670
 Fax + 36 (0)1 481 4671
 E-mail: office-hungary@geze.com

Iberia

GEZE Iberia S.R.L.
 Pol. Ind. El Pla
 C/ Comerç, 2-22, Nave 12
 08980 Sant Feliu de Llobregat
 (Barcelona)
 Tel. +34 (0)9-02 19 40 36
 Fax +34 (0)9-02 19 40 35
 E-Mail info@geze.es

India

GEZE India
 409, Apeejay Business Center
 39, Haddows Road
 Chennai – 600 006
 Tamil Nadu
 Tel. + 91 (0)44 2821 1300
 Fax + 91 (0)44 2821 1300
 E-mail: office-india@geze.com

Italy

GEZE Italia Srl
 Via Giotto, 4
 20040 Cambiago (MI)
 Tel. +39 02 95 06 95-11
 Fax +39 02 95 06 95-33
 E-Mail italia.it@geze.it

GEZE Engineering Roma Srl
 Via Lucrezia Romana, 91
 00178 Roma
 Tel. +39 06-7265311
 Fax +39 06-72653136
 E-mail: roma@geze.biz

Kazakhstan

GEZE Central Asia
 384 Raiymbek ave., 3rd Floor
 050061 Almaty
 Tel. + 7 (0)777 265 06 05
 E-mail: office-kazakhstan@geze.com

Poland

GEZE Polska Sp. z o.o.
 ul. Annopol 3 (Zeran Park)
 03-236 Warszawa
 Tel. +48 (0)22-8142211
 Fax +48 (0)22-6142540
 E-mail: geze@geze.pl

Romania

GEZE Romania
 Str. Ionescu Baican nr. 22
 021835 Bucuresti, sector 2
 Tel. +40 (0)21 250 77 50
 Fax +40 (0)21 250 77 50
 E-mail: office-romania@geze.com

Russian Federation

GEZE Russia
 Kolodesnij pereulok 3, Str. 25
 Office No. 5201-5203
 107076 Moscow
 Tel. +7 (0)495 589 9052
 Fax +7 (0)495 589 9051
 E-mail: office-russia@geze.com

Scandinavia

GEZE Scandinavia AB
 Mallslingan 10
 Box 7060
 18711 Täby, Sweden
 Tel. +46 (0)8-7323-400
 Fax +46 (0)8-7323-499
 E-mail: sverige.se@geze.com

GEZE Scandinavia AB avd. Norge
 Postboks 63
 2081 Eidsvoll, Norway
 Tel. +47 (0)6 39-57 200
 Fax +47 (0)6 39-57 173
 E-mail: norge.se@geze.com

GEZE Finland
 Branch office of GEZE Scand. AB
 Postbox 20
 158 71 Hollola
 Tel. +358 (0)10-400 51 00
 Fax +358 (0)10-400 51 20
 E-mail: finland.se@geze.com

Scandinavia

GEZE Denmark
 Branch office of GEZE Scand. AB
 Høje Taastrup Boulevard 53
 2630 Taastrup
 +45 (0)46-323324
 +45 (0)46-323326
 E-Mail: danmark.se@geze.com

South Africa

DCLSA Distributors (Pty.) Ltd.
 1027 Richards Drive, Midrand
 P.O. Box 7934
 Midrand 1685
 Tel. +27 (0)11 315 82 86
 Fax. +27 (0)11 315 82 61
 E-mail: info@dclsa.co.za

Switzerland

GEZE Schweiz AG
 Bodenackerstrasse 79
 4657 Dulliken
 Tel. +41 (0)62-285 54 00
 Fax +41 (0)62-285 54 01
 E-mail: schweiz.ch@geze.com

GEZE Security Systems GmbH
 Bodenackerstrasse 79
 4657 Dulliken
 Tel. +41 (0)62-285 55 00
 Fax +41 (0)62-285 55 01
 E-mail: schweiz.ch@geze.com

Turkey

GEZE Turkey
 Atatürk mah. Ata 2-3
 PLAZA kat 9 D. 64
 34757 Atasehir – Istanbul
 Tel. + 90 (0)216 4554315
 Fax + 90 (0)216 4558215
 E-mail: office-turkey@geze.com

Ukraine

GEZE Ukraine
 Vikentija Hvojki str. 21
 Office 151
 04655 Kiev
 Tel. +380 (0)44 499 77 25
 Fax +380 (0)44 499 77 25
 E-mail: office-ukraine@geze.com

United Arab Emirates/GCC

GEZE Middle East
 P.O. Box 17903
 Jebel Ali Free Zone
 Dubai
 Tel. +971 (0)4-8833112
 Fax +971 (0)4-8833240
 E-mail: geze@emirates.net.ae

United Kingdom

GEZE UK Ltd.
 Blenheim Way
 Fradley Park
 Lichfield
 Staffordshire WS13 8SY
 Tel: +44 (0) 1543 443000
 Fax: +44 (0) 1543 443001
 Email: info@geze-uk.com

GEZE Representative